



RFP # 03-RFP-CNP-2122 – KITCHEN ADDITIONS - EVALUATION FORM		Max Points					
Evaluation and Selection Criteria		Value	Evaluator #1	Evaluator #2	Evaluator #3	Evaluator #4	Evaluator #5
The Purchase Price							
a) Proposed price under this project	50	40	40	50	42	40	
The responsiveness of the vendor							
a) The vendor provided all documentation requested in the RFP	10	8	10	10	10	10	
The reputation of the vendor and of the vendor's goods and services							
a) The respondent's experience and demonstrated competence with similar type services with districts and or public entities.	10	10	10	10	10	9	
The vendor's past relationship with other educational institutions							
a) The respondent's type of services provided to other organizations based on the verified reference forms submitted	5	9	5	5	4	5	
The vendor's Warranty and warranty service history							
a) The vendor's warranty history based on the verified reference forms submitted	15	8	5	15	8	5	
Meets Completion Schedule Timeline							
a) Delivery schedule of equipment and completion of labor at each campus is met	10	8	10	10	10	10	
TOTAL		100	83	80	100	84	79



#03-RFP-CNP-2122: Kitchen Additions	
Evaluation Scoring	
Vendor	AVG Score
Jeans Restaurant Supply	85



03-RFP-CNP-2122 Kitchen Additions

Jeans Restaurant Supply

IDEA Southeast		Quantity	Unit Price	Cost
Item	Description			
Convection Oven	<p>Convection Oven - Manufacturer/Model: Blodgett Mark V. / Vulcan Model VC44ED or preapproved equal Furnish and set in place per plans, elevations and manufacturer's specifications.</p> <ul style="list-style-type: none"> • Provide Blodgett full size convection oven model Mark V (double) compartment. • Provide all stainless steel compartments, that accept five 18" x 26" standard full size bake pans. • Doors shall be stainless steel, equipped with dual pane thermal glass windows, with single porcelain handle and simultaneous operation. • Unit to be electrically heated with three tubular heaters. • Air in baking chamber distributed by single inlet blower wheel powered by a two- speed, 1/3 HP motor with thermal overload protection. • Each chamber shall be fitted with four commercial lamps and five chrome plated removable racks. • Control panel shall be recessed with Cook/Cool Down mode selector, solid stated digital thermostat (200- 500 degrees) with 60 minute timer. • Equip units with all standard features available on these units. • Double-Deck • Provide all stainless steel 8" legs. • Provide vent connector. • Warranty; provide Five year limited oven door warranty. • One-year parts and labor warranty. • Power; 480v, 3phase, 60Hz, 12.5Kw each, 25 kw total 	1	\$14,562.30	\$14,562.30
TILTING SKILLET BRAISING PAN, ELECTRIC	<p>Tilting Skillet- Manufacturer/Model: Blodgett BLP-40E / Vulcan Model VE 40 or pre-approved equal Furnish and set in place per plans, elevations and manufacturer's specifications</p> <ul style="list-style-type: none"> • Unit shall have stainless steel tube frame construction with rear flanged feet, stainless steel pan with pour lip strainer • Cover to be stainless steel and hinged with condensate ring • Power pan tilt, tilting console with provision for faucet • Temperature range 160 electronic ignition F with range to 450 F with thermostatic temperature control and electronic ignition • Each unit to be 480V, 3 phase, 60 Hz, 12kw • One Year parts and labor warranty • (2) Faucet bracket assembly • (2) Double pantry wash down hose with 16" add-on faucet with backflow preventer • (2) Steaming Pan insert rack to hold 12"x20" pan (Qty. 3 per unit) • (2) Stainless steel perforated boiling basket (12"x20"x6"D) with handles (Qty. 3 per unit) 	1	\$31,463.76	\$31,463.76
Shelving, With Metal Frame	<p>Shelving, w/ metal fram Metro Model No. MQ188G MetroMAX Q Shelf 48"W x 18" D, removable open grid polymer shelf mats on an epoxy coated steel frame with quick adjust corner releases, (4) wedge connectors, microban antimicrobial produce protections, 800 lb capacity per shelf MQ74PE MetroMAX Q post, 74-3/16" H, for stationary use, epoxy coated stell with built in</p>	10		\$891.60
Serving Counter - Cold & HOT Line	<p>Serving Counter - Countercraft Model SERVING COUNTER or pre-approved alternate CounterCraft Modular Recessed Frost Unit, Quantity: Two (2), with FTB 2. Provide counter with cord and plug, with Adjustable Deluxe sneeze guard with glass overshef and lights. 120V/1P/60hz</p>	1	\$175,108.20	\$175,108.20
ROLL-THRU HEATED CABINET	<p>Roll-Thru Heated Cabinet - Traulsen Model AIH132LP-FHS or pre-approved alternate Spec-Line Heated Cabinet, Roll-Thru, self-contained, stainless steel exterior, aluminum interior, standard depth cabinet, wide full-height doors, INTELA-TRAUL™ microprocessor controls, 6" adjustable s/s legs, NSF, • Refer to MEP for connections • 1 yr service/labor, 3 yr parts & warranty, standard</p>			

	<ul style="list-style-type: none"> • Thermometer side: Door hinging to be determined • Rear: Door hinging to be determined • 208V, 1P, 60hz • Provide New Age 4338 Roll-in Rack at each unit. 	3	\$16,950.29	\$50,850.87
ROLL-THRU REFRIGERATOR	Roll-Thru Refrigerator Cabinet - Traulsen Model ARI132LPUT-FHS or pre-approved alternate Spec-Line Refrigerator, Roll-Thru, self-contained refrigeration, stainless steel exterior, aluminum interior, standard depth, wide full-height doors, INTELA-TRAUL™ microprocessor controls. <ul style="list-style-type: none"> • Refer to MEP for connections • 1 yr service/labor, 5 yr compressor & 3 yr parts & warranty, standard • Thermometer side: Door hinging to be determined • Rear: Door hinging to be determined • 120V , 1P, 60hz • Provide New Age 4338 Roll-in Rack at each unit. 	2	\$18,769.41	\$37,538.82
REFRIGERATOR RACK, ROLL-IN	Lifetime Series Roll-In Bun Pan Rack, heavy duty, aluminum, 64"H, (18) wide-angle runners are 1-1/2" x 3-1/4" x .100 with 3" spacing (nonadjustable), extruded aluminum guides for 12 x 20 to 18 x 26 pans, fully welded 1-1/2"x1-3/4" x .07" smooth wall D-tube uprights, (4) 5" platform swivel casters, NSF 8 ea Lifetime guarantee against rust & corrosion. Lifetime guarantee against workmanship and material defects.	5	\$1,256.98	\$6,284.90
Installation Cost		1	\$20,000.00	\$20,000.00

Total per Campus

IDEA YUKON		Quantity	Unit Price	Cost
Item	Description			
Convection Oven	Convection Oven - Manufacturer/Model: Blodgett Mark V. / Vulcan Model VC44ED or preapproved equal Furnish and set in place per plans, elevations and manufacturer's specifications. <ul style="list-style-type: none"> • Provide Blodgett full size convection oven model Mark V (double) compartment. • Provide all stainless steel compartments, that accept five 18" x 26" standard full size bake pans. • Doors shall be stainless steel, equipped with dual pane thermal glass windows, with single porcelain handle and simultaneous operation. • Unit to be electrically heated with three tubular heaters. • Air in baking chamber distributed by single inlet blower wheel powered by a two- speed, 1/3 HP motor with thermal overload protection. • Each chamber shall be fitted with four commercial lamps and five chrome plated removable racks. • Control panel shall be recessed with Cook/Cool Down mode selector, solid stated digital thermostat (200- 500 degrees) with 60 minute timer. • Equip units with all standard features available on these units. • Double-Deck • Provide all stainless steel 8" legs. • Provide vent connector. • Warranty; provide Five year limited oven door warranty. • One-year parts and labor warranty. • Power; 480v, 3phase, 60Hz, 12.5Kw each, 25 kw total 	1	\$14,562.30	\$14,562.30
TILTING SKILLET BRAISING PAN, ELECTRIC	Tilting Skillet - Manufacturer/Model: Blodgett BLP-40E / Vulcan Model VE 40 or pre-approved equal Furnish and set in place per plans, elevations and manufacturer's specifications <ul style="list-style-type: none"> • Unit shall have stainless steel tube frame construction with rear flanged feet, stainless steel pan with pour lip strainer • Cover to be stainless steel and hinged with condensate ring • Power pan tilt, tilting console with provision for faucet • Temperature range 160 electronic ignition F with range to 450 F with thermostatic temperature control and electronic ignition • Each unit to be 480V, 3 phase, 60 Hz, 12kw • One Year parts and labor warranty • (2) Faucet bracket assembly • (2) Double pantry wash down hose with 16" add-on faucet with backflow preventer • (2) Steaming Pan insert rack to hold 12"x20" pan (Qty. 3 per unit) 			

	• (2) Stainless steel perforated boiling basket (12"x20"x6"D) with handles (Qty. 3 per unit)	1	\$31,463.76	\$31,463.76
Serving Counter - Cold & HOT Line	Serving Counter - Countercraft Model SERVING COUNTER or pre-approved alternate CounterCraft Modular Recessed Frost Unit, Quantity: Two (2), with FTB 2. Provide counter with cord and plug, with Adjustable Deluxe sneeze guard with glass overshef and lights. 120V/1P/60hz	1	\$175,108.20	\$175,108.20
ROLL-THRU HEATED CABINET	Roll-Thru Heated Cabinet - Traulsen Model AIH132LP-FHS or pre-approved alternate Spec-Line Heated Cabinet, Roll-Thru, self-contained, stainless steel exterior, aluminum interior, standard depth cabinet, wide full-height doors, INTELA-TRAUL™ microprocessor controls, 6" adjustable s/s legs, NSF, • Refer to MEP for connections • 1 yr service/labor, 3 yr parts & warranty, standard • Thermometer side: Door hinging to be determined • Rear: Door hinging to be determined • 208V, 1P, 60hz • Provide New Age 4338 Roll-in Rack at each unit.	3	\$16,950.29	\$50,850.87
ROLL-THRU REFRIGERATOR	Roll-Thru Refrigerator Cabinet - Traulsen Model ARI132LPUT-FHS or pre-approved alternate Spec-Line Refrigerator, Roll-Thru, self-contained refrigeration, stainless steel exterior, aluminum interior, standard depth, wide full-height doors, INTELA-TRAUL™ microprocessor controls. • Refer to MEP for connections • 1 yr service/labor, 5 yr compressor & 3 yr parts & warranty, standard • Thermometer side: Door hinging to be determined • Rear: Door hinging to be determined • 120V , 1P, 60hz • Provide New Age 4338 Roll-in Rack at each unit.	2	\$18,769.41	\$37,538.82
Shelving, With Metal Frame	Shelving, w/ metal fram Metro Model No. MQ188G MetroMAX Q Shelf 48"W x 18" D, removable open grid polymer shelf mats on an epoxy coated steel frame with quick adjust corner releases, (4) wedge connectors, microban antimicrobial produce protections, 800 lb capacity per shelf MQ74PE MetroMAX Q post, 74-3/16" H, for stationary use, epoxy coated stell with built in	10		\$891.60
REFRIGERATOR RACK, ROLL-IN	Lifetime Series Roll-In Bun Pan Rack, heavy duty, aluminum, 64"H, (18) wide-angle runners are 1-1/2" x 3-1/4" x .100 with 3" spacing (nonadjustable), extruded aluminum guides for 12 x 20 to 18 x 26 pans, fully welded 1-1/2"x1-3/4" x .07" smooth wall D-tube uprights, (4) 5" platform swivel casters, NSF 8 ea Lifetime guarantee against rust & corrosion. Lifetime guarantee against workmanship and material defects.	5	\$1,256.98	\$6,284.90
Installation Cost		1	\$20,000.00	\$20,000.00

Total per Campus

IDEA Lake Houston				
Item	Description	Quantity	Unit Price	Cost
Convection Oven	Convection Oven - Manufacturer/Model: Blodgett Mark V. / Vulcan Model VC44ED or preapproved equal Furnish and set in place per plans, elevations and manufacturer's specifications. • Provide Blodgett full size convection oven model Mark V (double) compartment. • Provide all stainless steel compartments, that accept five 18" x 26" standard full size bake pans. • Doors shall be stainless steel, equipped with dual pane thermal glass windows, with single porcelain handle and simultaneous operation. • Unit to be electrically heated with three tubular heaters. • Air in baking chamber distributed by single inlet blower wheel powered by a two- speed, 1/3 HP motor with thermal overload protection. • Each chamber shall be fitted with four commercial lamps and five chrome plated removable racks. • Control panel shall be recessed with Cook/Cool Down mode selector, solid stated digital thermostat (200- 500 degrees) with 60 minute timer. • Equip units with all standard features available on these units. • Double-Deck • Provide all stainless steel 8" legs. • Provide vent connector. • Warranty; provide Five year limited oven door warranty. • One-year parts and labor warranty.			

	<ul style="list-style-type: none"> • Power; 480v, 3phase, 60Hz, 12.5Kw each, 25 kw total 	1	\$14,562.30	\$14,562.30
TILTING SKILLET BRAISING PAN, ELECTRIC	<p>Tilting Skillet- Manufacturer/Model: Blodgett BLP-40E / Vulcan Model VE 40 or pre-approved equal Furnish and set in place per plans, elevations and manufacturer's specifications</p> <ul style="list-style-type: none"> • Unit shall have stainless steel tube frame construction with rear flanged feet, stainless steel pan with pour lip strainer • Cover to be stainless steel and hinged with condensate ring • Power pan tilt, tilting console with provision for faucet • Temperature range 160 electronic ignition F with range to 450 F with thermostatic temperature control and electronic ignition • Each unit to be 480V, 3 phase, 60 Hz, 12kw • One Year parts and labor warranty • (2) Faucet bracket assembly • (2) Double pantry wash down hose with 16" add-on faucet with backflow preventer • (2) Steaming Pan insert rack to hold 12"x20" pan (Qty. 3 per unit) • (2) Stainless steel perforated boiling basket (12"x20"x6"D) with handles (Qty. 3 per unit) 	1	\$31,463.76	\$31,463.76
Serving Counter - Cold & HOT Line	Serving Counter - Countercraft Model SERVING COUNTER or pre-approved alternate CounterCraft Modular Recessed Frost Unit, Quantity: Two (2), with FTB 2. Provide counter with cord and plug, with Adjustable Deluxe sneeze guard with glass overshef and lights. 120V/1P/60hz	1	\$175,108.20	\$175,108.20
ROLL-THRU HEATED CABINET	<p>Roll-Thru Heated Cabinet - Traulsen Model AIH132LP-FHS or pre-approved alternate Spec-Line Heated Cabinet, Roll-Thru, self-contained, stainless steel exterior, aluminum interior, standard depth cabinet, wide full-height doors, INTELA-TRAUL™ microprocessor controls, 6" adjustable s/s legs, NSF,</p> <ul style="list-style-type: none"> • Refer to MEP for connections • 1 yr service/labor, 3 yr parts & warranty, standard • Thermometer side: Door hinging to be determined • Rear: Door hinging to be determined • 208V, 1P, 60hz • Provide New Age 4338 Roll-in Rack at each unit. 	3	\$16,950.29	\$50,850.87
ROLL-THRU REFRIGERATOR	<p>Roll-Thru Refrigerator Cabinet - Traulsen Model ARI132LPUT-FHS or pre-approved alternate Spec-Line Refrigerator, Roll-Thru, self-contained refrigeration, stainless steel exterior, aluminum interior, standard depth, wide full-height doors, INTELA-TRAUL™ microprocessor controls.</p> <ul style="list-style-type: none"> • Refer to MEP for connections • 1 yr service/labor, 5 yr compressor & 3 yr parts & warranty, standard • Thermometer side: Door hinging to be determined • Rear: Door hinging to be determined • 120V , 1P, 60hz • Provide New Age 4338 Roll-in Rack at each unit. 	2	\$18,769.41	\$37,538.82
REFRIGERATOR RACK, ROLL-IN	Lifetime Series Roll-In Bun Pan Rack, heavy duty, aluminum, 64"H, (18) wide-angle runners are 1-1/2" x 3-1/4" x .100 with 3" spacing (nonadjustable), extruded aluminum guides for 12 x 20 to 18 x 26 pans, fully welded 1-1/2"x1-3/4" x .07" smooth wall D-tube uprights, (4) 5" platform swivel casters, NSF 8 ea Lifetime guarantee against rust & corrosion. Lifetime guarantee against workmanship and material defects.	5	\$1,256.98	\$6,284.90
Installation Cost		1	\$20,000.00	\$20,000.00

Total per Campus

IDEA La Joya				
Item	Description	Quantity	Unit Price	Cost
Convection Oven	<p>Convection Oven - Manufacturer/Model: Blodgett Mark V. / Vulcan Model VC44ED or preapproved equal Furnish and set in place per plans, elevations and manufacturer's specifications.</p> <ul style="list-style-type: none"> • Provide Blodgett full size convection oven model Mark V (double) compartment. • Provide all stainless steel compartments, that accept five 18" x 26" standard full size bake pans. • Doors shall be stainless steel, equipped with dual pane thermal glass windows, with single porcelain handle and simultaneous operation. • Unit to be electrically heated with three tubular heaters. • Air in baking chamber distributed by single inlet blower wheel powered by a two- speed, 1/3 HP motor with thermal overload protection. • Each chamber shall be fitted with four commercial lamps and five chrome plated removable racks. 			

	<ul style="list-style-type: none"> Control panel shall be recessed with Cook/Cool Down mode selector, solid stated digital thermostat (200- 500 degrees) with 60 minute timer. Equip units with all standard features available on these units. Double-Deck Provide all stainless steel 8" legs. Provide vent connector. Warranty; provide Five year limited oven door warranty. One-year parts and labor warranty. Power; 480v, 3phase, 60Hz, 12.5Kw each, 25 kw total 	1	\$14,562.30	\$14,562.30
TILTING SKILLET BRAISING PAN, ELECTRIC	<p>Tilting Skillet- Manufacturer/Model: Blodgett BLP-40E / Vulcan Model VE 40 or pre-approved equal Furnish and set in place per plans, elevations and manufacturer's specifications</p> <ul style="list-style-type: none"> Unit shall have stainless steel tube frame construction with rear flanged feet, stainless steel pan with pour lip strainer Cover to be stainless steel and hinged with condensate ring Power pan tilt, tilting console with provision for faucet Temperature range 160 electronic ignition F with range to 450 F with thermostatic temperature control and electronic ignition Each unit to be 480V, 3 phase, 60 Hz, 12kw One Year parts and labor warranty (2) Faucet bracket assembly (2) Double pantry wash down hose with 16" add-on faucet with backflow preventer (2) Steaming Pan insert rack to hold 12"x20" pan (Qty. 3 per unit) (2) Stainless steel perforated boiling basket (12"x20"x6"D) with handles (Qty. 3 per unit) 	1	\$31,463.76	\$31,463.76
ROLL-THRU HEATED CABINET	<p>Roll-Thru Heated Cabinet - Traulsen Model AIH132LP-FHS or pre-approved alternate Spec-Line Heated Cabinet, Roll-Thru, self-contained, stainless steel exterior, aluminum interior, standard depth cabinet, wide full-height doors, INTELA-TRAUL™ microprocessor controls, 6" adjustable s/s legs, NSF,</p> <ul style="list-style-type: none"> Refer to MEP for connections 1 yr service/labor, 3 yr parts & warranty, standard Thermometer side: Door hinging to be determined Rear: Door hinging to be determined 208V, 1P, 60hz Provide New Age 4338 Roll-in Rack at each unit. 	3	\$16,950.29	\$50,850.87
ROLL-THRU REFRIGERATOR	<p>Roll-Thru Refrigerator Cabinet - Traulsen Model ARI132LPUT-FHS or pre-approved alternate Spec-Line Refrigerator, Roll-Thru, self-contained refrigeration, stainless steel exterior, aluminum interior, standard depth, wide full-height doors, INTELA-TRAUL™ microprocessor controls.</p> <ul style="list-style-type: none"> Refer to MEP for connections 1 yr service/labor, 5 yr compressor & 3 yr parts & warranty, standard Thermometer side: Door hinging to be determined Rear: Door hinging to be determined 120V , 1P, 60hz Provide New Age 4338 Roll-in Rack at each unit. 	2	\$18,769.41	\$37,538.82
Serving Counter - Cold & HOT Line	<p>Serving Counter - Countercraft Model SERVING COUNTER or pre-approved alternate CounterCraft Modular Recessed Frost Unit, Quantity: Two (2), with FTB 2. Provide counter with cord and plug, with Adjustable Deluxe sneeze guard with glass overshef and lights. 120V/1P/60hz</p>	1	\$175,108.20	\$175,108.20
REFRIGERATOR RACK, ROLL-IN	Lifetime Series Roll-In Bun Pan Rack, heavy duty, aluminum, 64"H, (18) wide-angle runners are 1-1/2" x 3-1/4" x .100 with 3" spacing (nonadjustable), extruded aluminum guides for 12 x 20 to 18 x 26 pans, fully welded 1-1/2"x1-3/4" x .07" smooth wall D-tube uprights, (4) 5" platform swivel casters, NSF 8 ea Lifetime guarantee against rust & corrosion. Lifetime guarantee against workmanship and material defects.	5	\$1,256.98	\$6,284.90
Installation Cost		1	\$20,000.00	\$20,000.00

Total per Campus

IDEA Sports Park		Quantity	Unit Price	Cost
Item	Description			

Convection Oven	<p>Convection Oven - Manufacturer/Model: Blodgett Mark V. / Vulcan Model VC44ED or preapproved equal Furnish and set in place per plans, elevations and manufacturer's specifications.</p> <ul style="list-style-type: none"> • Provide Blodgett full size convection oven model Mark V (double) compartment. • Provide all stainless steel compartments, that accept five 18" x 26" standard full size bake pans. • Doors shall be stainless steel, equipped with dual pane thermal glass windows, with single porcelain handle and simultaneous operation. • Unit to be electrically heated with three tubular heaters. • Air in baking chamber distributed by single inlet blower wheel powered by a two- speed, 1/3 HP motor with thermal overload protection. • Each chamber shall be fitted with four commercial lamps and five chrome plated removable racks. • Control panel shall be recessed with Cook/Cool Down mode selector, solid stated digital thermostat (200- 500 degrees) with 60 minute timer. • Equip units with all standard features available on these units. • Double-Deck • Provide all stainless steel 8" legs. • Provide vent connector. • Warranty; provide Five year limited oven door warranty. • One-year parts and labor warranty. • Power; 480v, 3phase, 60Hz, 12.5Kw each, 25 kw total 	1	\$14,562.30	\$14,562.30
TILTING SKILLET BRAISING PAN, ELECTRIC	<p>Tilting Skillet- Manufacturer/Model: Blodgett BLP-40E / Vulcan Model VE 40 or pre-approved equal Furnish and set in place per plans, elevations and manufacturer's specifications</p> <ul style="list-style-type: none"> • Unit shall have stainless steel tube frame construction with rear flanged feet, stainless steel pan with pour lip strainer • Cover to be stainless steel and hinged with condensate ring • Power pan tilt, tilting console with provision for faucet • Temperature range 160 electronic ignition F with range to 450 F with thermostatic temperature control and electronic ignition • Each unit to be 480V, 3 phase, 60 Hz, 12kw • One Year parts and labor warranty • (2) Faucet bracket assembly • (2) Double pantry wash down hose with 16" add-on faucet with backflow preventer • (2) Steaming Pan insert rack to hold 12"x20" pan (Qty. 3 per unit) • (2) Stainless steel perforated boiling basket (12"x20"x6"D) with handles (Qty. 3 per unit) 	1	\$31,463.76	\$31,463.76
ROLL-THRU HEATED CABINET	<p>Roll-Thru Heated Cabinet - Traulsen Model AIH132LP-FHS or pre-approved alternate Spec-Line Heated Cabinet, Roll-Thru, self-contained, stainless steel exterior, aluminum interior, standard depth cabinet, wide full-height doors, INTELA-TRAUL™ microprocessor controls, 6" adjustable s/s legs, NSF,</p> <ul style="list-style-type: none"> • Refer to MEP for connections • 1 yr service/labor, 3 yr parts & warranty, standard • Thermometer side: Door hinging to be determined • Rear: Door hinging to be determined • 208V, 1P, 60hz • Provide New Age 4338 Roll-in Rack at each unit. 	3	\$16,950.29	\$50,850.87
ROLL-THRU REFRIGERATOR	<p>Roll-Thru Refrigerator Cabinet - Traulsen Model ARI132LP-UT-FHS or pre-approved alternate Spec-Line Refrigerator, Roll-Thru, self-contained refrigeration, stainless steel exterior, aluminum interior, standard depth, wide full-height doors, INTELA-TRAUL™ microprocessor controls.</p> <ul style="list-style-type: none"> • Refer to MEP for connections • 1 yr service/labor, 5 yr compressor & 3 yr parts & warranty, standard • Thermometer side: Door hinging to be determined • Rear: Door hinging to be determined • 120V , 1P, 60hz • Provide New Age 4338 Roll-in Rack at each unit. 	2	\$18,769.41	\$37,538.82
Serving Counter - Cold & HOT Line	<p>Serving Counter - Countercraft Model SERVING COUNTER or pre-approved alternate CounterCraft Modular Recessed Frost Unit, Quantity: Two (2), with FTB 2. Provide counter with cord and plug, with Adjustable Deluxe sneeze guard with glass overshell and lights. 120V/1P/60hz</p>	1	\$175,108.20	\$175,108.20

REFRIGERATOR RACK, ROLL-IN	Lifetime Series Roll-In Bun Pan Rack, heavy duty, aluminum, 64"H, (18) wide-angle runners are 1-1/2" x 3-1/4" x .100 with 3" spacing (nonadjustable), extruded aluminum guides for 12 x 20 to 18 x 26 pans, fully welded 1-1/2"x1-3/4" x .07" smooth wall D-tube uprights, (4) 5" platform swivel casters, NSF 8 ea Lifetime guarantee against rust & corrosion. Lifetime guarantee against workmanship and material defects.	5	\$1,256.98	\$6,284.90
Installation Cost		1	\$20,000.00	\$20,000.00

Total per Campus

IDEA Mesquite Hills		Quantity	Unit Price	Cost
Item	Description			
Convection Oven	<p>Convection Oven - Manufacturer/Model: Blodgett Mark V. / Vulcan Model VC44ED or preapproved equal Furnish and set in place per plans, elevations and manufacturer's specifications.</p> <ul style="list-style-type: none"> • Provide Blodgett full size convection oven model Mark V (double) compartment. • Provide all stainless steel compartments, that accept five 18" x 26" standard full size bake pans. • Doors shall be stainless steel, equipped with dual pane thermal glass windows, with single porcelain handle and simultaneous operation. • Unit to be electrically heated with three tubular heaters. • Air in baking chamber distributed by single inlet blower wheel powered by a two- speed, 1/3 HP motor with thermal overload protection. • Each chamber shall be fitted with four commercial lamps and five chrome plated removable racks. • Control panel shall be recessed with Cook/Cool Down mode selector, solid stated digital thermostat (200- 500 degrees) with 60 minute timer. • Equip units with all standard features available on these units. • Double-Deck • Provide all stainless steel 8" legs. • Provide vent connector. • Warranty; provide Five year limited oven door warranty. • One-year parts and labor warranty. • Power; 480v, 3phase, 60Hz, 12.5Kw each, 25 kw total 	1	\$14,562.30	\$14,562.30
TILTING SKILLET BRAISING PAN, ELECTRIC	<p>Tilting Skillet- Manufacturer/Model: Blodgett BLP-40E / Vulcan Model VE 40 or pre-approved equal Furnish and set in place per plans, elevations and manufacturer's specifications</p> <ul style="list-style-type: none"> • Unit shall have stainless steel tube frame construction with rear flanged feet, stainless steel pan with pour lip strainer • Cover to be stainless steel and hinged with condensate ring • Power pan tilt, tilting console with provision for faucet • Temperature range 160 electronic ignition F with range to 450 F with thermostatic temperature control and electronic ignition • Each unit to be 480V, 3 phase, 60 Hz, 12kw • One Year parts and labor warranty • (2) Faucet bracket assembly • (2) Double pantry wash down hose with 16" add-on faucet with backflow preventer • (2) Steaming Pan insert rack to hold 12"x20" pan (Qty. 3 per unit) • (2) Stainless steel perforated boiling basket (12"x20"x6"D) with handles (Qty. 3 per unit) 	1	\$31,463.76	\$31,463.76
Serving Counter - Cold & HOT Line	<p>Serving Counter - Countercraft Model SERVING COUNTER or pre-approved alternate CounterCraft Modular Recessed Frost Unit, Quantity: Two (2), with FTB 2. Provide counter with cord and plug, with Adjustable Deluxe sneeze guard with glass overshef and lights. 120V/1P/60hz</p>	1	\$175,108.20	\$175,108.20
ROLL-THRU HEATED CABINET	<p>Roll-Thru Heated Cabinet - Traulsen Model AIH132LP-FHS or pre-approved alternate Spec-Line Heated Cabinet, Roll-Thru, self-contained, stainless steel exterior, aluminum interior, standard depth cabinet, wide full-height doors, INTELA-TRAUL™ microprocessor controls, 6" adjustable s/s legs, NSF,</p> <ul style="list-style-type: none"> • Refer to MEP for connections • 1 yr service/labor, 3 yr parts & warranty, standard • Thermometer side: Door hinging to be determined • Rear: Door hinging to be determined • 208V, 1P, 60hz • Provide New Age 4338 Roll-in Rack at each unit. 	3	\$16,950.29	\$50,850.87

ROLL-THRU REFRIGERATOR	Roll-Thru Refrigerator Cabinet - Traulsen Model ARI132LP-UT-FHS or pre-approved alternate Spec-Line Refrigerator, Roll-Thru, self-contained refrigeration, stainless steel exterior, aluminum interior, standard depth, wide full-height doors, INTELA-TRAUL™ microprocessor controls. <ul style="list-style-type: none"> • Refer to MEP for connections • 1 yr service/labor, 5 yr compressor & 3 yr parts & warranty, standard • Thermometer side: Door hinging to be determined • Rear: Door hinging to be determined • 120V , 1P, 60hz • Provide New Age 4338 Roll-in Rack at each unit. 	2	\$18,769.41	\$37,538.82
REFRIGERATOR RACK, ROLL-IN	Lifetime Series Roll-In Bun Pan Rack, heavy duty, aluminum, 64"H, (18) wide-angle runners are 1-1/2" x 3-1/4" x .100 with 3" spacing (nonadjustable), extruded aluminum guides for 12 x 20 to 18 x 26 pans, fully welded 1-1/2"x1-3/4" x .07" smooth wall D-tube uprights, (4) 5" platform swivel casters, NSF 8 ea Lifetime guarantee against rust & corrosion. Lifetime guarantee against workmanship and material defects.	5	\$1,256.98	\$6,284.90
Installation Cost		1	\$20,000.00	\$20,000.00

Total per Campus

IDEA Amber Creek		Quantity	Unit Price	Cost
Item	Description			
Convection Oven	Convection Oven - Manufacturer/Model: Blodgett Mark V. / Vulcan Model VC44ED or preapproved equal Furnish and set in place per plans, elevations and manufacturer's specifications. <ul style="list-style-type: none"> • Provide Blodgett full size convection oven model Mark V (double) compartment. • Provide all stainless steel compartments, that accept five 18" x 26" standard full size bake pans. • Doors shall be stainless steel, equipped with dual pane thermal glass windows, with single porcelain handle and simultaneous operation. • Unit to be electrically heated with three tubular heaters. • Air in baking chamber distributed by single inlet blower wheel powered by a two- speed, 1/3 HP motor with thermal overload protection. • Each chamber shall be fitted with four commercial lamps and five chrome plated removable racks. • Control panel shall be recessed with Cook/Cool Down mode selector, solid stated digital thermostat (200- 500 degrees) with 60 minute timer. • Equip units with all standard features available on these units. • Double-Deck • Provide all stainless steel 8" legs. • Provide vent connector. • Warranty; provide Five year limited oven door warranty. • One-year parts and labor warranty. • Power; 480v, 3phase, 60Hz, 12.5Kw each, 25 kw total 	1	\$14,562.30	\$14,562.30
TILTING SKILLET BRAISING PAN, ELECTRIC	Tilting Skillet - Manufacturer/Model: Blodgett BLP-40E / Vulcan Model VE 40 or pre-approved equal Furnish and set in place per plans, elevations and manufacturer's specifications <ul style="list-style-type: none"> • Unit shall have stainless steel tube frame construction with rear flanged feet, stainless steel pan with pour lip strainer • Cover to be stainless steel and hinged with condensate ring • Power pan tilt, tilting console with provision for faucet • Temperature range 160 electronic ignition F with range to 450 F with thermostatic temperature control and electronic ignition • Each unit to be 480V, 3 phase, 60 Hz, 12kw • One Year parts and labor warranty • (2) Faucet bracket assembly • (2) Double pantry wash down hose with 16" add-on faucet with backflow preventer • (2) Steaming Pan insert rack to hold 12"x20" pan (Qty. 3 per unit) • (2) Stainless steel perforated boiling basket (12"x20"x6"D) with handles (Qty. 3 per unit) 	1	\$31,463.76	\$31,463.76
ROLL-THRU HEATED CABINET	Roll-Thru Heated Cabinet - Traulsen Model AIH132LP-FHS or pre-approved alternate Spec-Line Heated Cabinet, Roll-Thru, self-contained, stainless steel exterior, aluminum interior, standard depth cabinet, wide full-height doors, INTELA-TRAUL™ microprocessor controls, 6" adjustable s/s legs, NSF,			

	<ul style="list-style-type: none"> • Refer to MEP for connections • 1 yr service/labor, 3 yr parts & warranty, standard • Thermometer side: Door hinging to be determined • Rear: Door hinging to be determined • 208V, 1P, 60hz • Provide New Age 4338 Roll-in Rack at each unit. 	3	\$16,950.29	\$50,850.87
ROLL-THRU REFRIGERATOR	Roll-Thru Refrigerator Cabinet - Traulsen Model ARI132LPUT-FHS or pre-approved alternate Spec-Line Refrigerator, Roll-Thru, self-contained refrigeration, stainless steel exterior, aluminum interior, standard depth, wide full-height doors, INTELA-TRAUL™ microprocessor controls. <ul style="list-style-type: none"> • Refer to MEP for connections • 1 yr service/labor, 5 yr compressor & 3 yr parts & warranty, standard • Thermometer side: Door hinging to be determined • Rear: Door hinging to be determined • 120V , 1P, 60hz • Provide New Age 4338 Roll-in Rack at each unit. 	2	\$18,769.41	\$37,538.82
Serving Counter - Cold & HOT Line	Serving Counter - Countercraft Model SERVING COUNTER or pre-approved alternate CounterCraft Modular Recessed Frost Unit, Quantity: Two (2), with FTB 2. Provide counter with cord and plug, with Adjustable Deluxe sneeze guard with glass overshef and lights. 120V/1P/60hz	1	\$175,108.20	\$175,108.20
REFRIGERATOR RACK, ROLL-IN	Lifetime Series Roll-In Bun Pan Rack, heavy duty, aluminum, 64"H, (18) wide-angle runners are 1-1/2" x 3-1/4" x .100 with 3" spacing (nonadjustable), extruded aluminum guides for 12 x 20 to 18 x 26 pans, fully welded 1-1/2"x1-3/4" x .07" smooth wall D-tube uprights, (4) 5" platform swivel casters, NSF 8 ea Lifetime guarantee against rust & corrosion. Lifetime guarantee against workmanship and material defects.	5	\$1,256.98	\$6,284.90
Installation Cost		1	\$20,000.00	\$20,000.00

Total Proposal:	\$2,352,445.15
------------------------	-----------------------